

What's New and Why Upgrade: DX Unified Infrastructure Management Version 20.4

AlOps BrightTa

ts.acti

Ashish Aggarwal Lead Product Manager – DX UIM

15 December 2021



Disclaimer

Certain information in this presentation may outline Broadcom's general product direction. This presentation shall not serve to (i) affect the rights and/or obligations of Broadcom or its licensees under any existing or future license agreement or services agreement relating to any Broadcom software product; or (ii) amend any product documentation or specifications for any Broadcom software product. This presentation is based on current information and resource allocations as of **December 2021** and is **subject to change or withdrawal by Broadcom at any time without notice**. The development, release and timing of any features or functionality described in this presentation remain at Broadcom's sole discretion.

Notwithstanding anything in this presentation to the contrary, upon the general availability of any future Broadcom product release referenced in this presentation, Broadcom may make such release available to new licensees in the form of a regularly scheduled major product release. Such release may be made available to licensees of the product who are active subscribers to Broadcom maintenance and support, on a when and if-available basis. The information in this presentation is not deemed to be incorporated into any contract.

Copyright © 2021 Broadcom. All rights reserved. All trademarks, trade names, service marks and logos referenced herein belong to their respective companies.

THIS PRESENTATION IS FOR YOUR INFORMATIONAL PURPOSES ONLY. Broadcom assumes no responsibility for the accuracy or completeness of the information. TO THE EXTENT PERMITTED BY APPLICABLE LAW, BROADCOM PROVIDES THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. In no event will Broadcom be liable for any loss or damage, direct or indirect, in connection with this presentation, including, without limitation, lost profits, lost investment, business interruption, goodwill, or lost data, even if Broadcom is expressly advised in advance of the possibility of such damages.



Agenda



- Why DX UIM
- Journey to DX UIM 20.4
- What's New with Version 20.4
 - Marquee Features
- Installation and Upgrades
- Resources
- What Questions Do You Have?



DX Unified Infrastructure Management

Comprehensive Observability for Hybrid Data Center



Admin

Console.

Infrastructure

Manager

Full-stack observability across app-infranetwork including cloud infrastructure and networks

 Monitor service levels across private and public cloud




Tools Admin,

Maintenance


Engineer

L2/L3

Infrastructure Specialists



- Ease triage with technology-led dashboards
- Quicker time-to-value with template-based monitoring configuration service
- Inventory and group management with CMDB integration and dynamic discovery
- Deploy across various infrastructures: onpremises, PaaS and MSP
- **ITOM tool integration** for provisioning and orchestration
- Incident management and alarm noise reduction with alarm management
 - Open architecture with true multi-tenancy and extensibility






\ge																$> \langle$
																(N.
۲																0

Journey to DX UIM 20.4 Release



DX UIM Journey: Innovation @ IT Infrastructure Management



DX UIM 20.4 for New PLAs, Why Upgrade for Existing Customers



Enterprise Class

Modern, scaled up performance & alarm management along with additional security for high-scale enterprises and MSPs



Modern Support

Additional support for Google Cloud, Microsoft Server Core 2019 and PerconaDB (open source database as option)



Quality

60+ feature enhancement requests, 20+ ideas from User Community and customer-found defect fixes



Path Ahead

Ingests granular data to enable highly accurate analytics with complementary AIOps solutions



															$> \langle$
															() () () () () () () () () ()
															٥

What's New with DX UIM 20.4



DX UIM 20.4 New Features for Improved Observability

Alarm Console

- Advance alarm filter with "and" and "or" conditions
- Collapsible alarm summary view
- ACL permission for alarm filters
- Global alarm filters on alarm console

User View Customizations

- Bridge LifeRay parity
- Set default Operator Console screen for user
- Operator Console views provide more granular control to users based on ACL permissions

Dashboards & Reports

- Seamless dashboard navigation from Operator Console
- Dashboard list widget as replacement for list reports
- Custom timeframe filtering across all reports and default screens

Inventory & Group Mgt

- Export DX UIM groups/devices along attributes including (MCS profiles and alarm policies)
- Increased number of device selection in (static) group configuration
- Additional attributes and customizable table columns

Performance Metrics

- Performance Report Designer (re-introduced)
- Enhanced Metric Viewer to support metric graphs with high scale targets (At A Glance)
- Metric Viewer: custom aggregate, copy metric views with enhanced device count

SLM & Tech Stack

- SLA history option to see previous months report
- Upgrade Operator Console to React version 17.0.x



Ease of Upgradability, Performance and Quality

System Monitoring

• **Bridge parity** between MCS and other probe configuration

Security


- 3rd party component scans with Black Duck Software
- Signing for Microsoft Windows binaries for authenticated source
- DX UIM API password encryption
- **Restrict** multiple simultaneous **logins** for users
- Security hardening for DX UIM components

Platforms and Certification

- Expanded certification for RHEL 8.x and Microsoft Windows 2019
- Additional support for Microsoft Server Core (2019)
- Open source **PerconaDB 5.7** as data store option

Performance

Discovery server performance
 improvement for high scale inventory
 management





\ge																>
() () () () () () () () () ()																(
•																
٥																0


DX UIM 20.4: Marquee Features



Performance Report Designer

Visual Representation of Quality of Service (Performance) Data

- Quicker full stack triage consistently across device(s)
- Display multiple measurements on a single chart, view multiple charts at a time
- Drag charts between rows or can drag a data series from one chart to another
- Change the source (host or target) of the data
- Save a set of charts as a report to print or to view later
- Export and import features to share charts with other users or across releases
- Scheduled sharing for performance (QoS) reports






Section 508/VPAT 2.0 Compliance for the Alarm Console

UX Hygiene and Accessibility Improvements

- Reduce fragmentation and better white space management
- Proximity and contextual actions
- ✓ Intuitive UX with better click rate
- Visualize more information with less
- Column width persistence across user sessions
- ✓ Hide able alarm summary view
- ✓ Improved alarm filtering






Google Cloud Platform (Summary View)

Dashboard Designer

- ✓ Single pane glass for all Google Cloud services
- Contextual navigation
- Extensible as per cloud admin needs
- Covers key QoS for monitored GCP services
- Google Cloud account/tenant aware, suited for MSP deployment
- Publish and integrate with 3rd part web sites



SOFTWARE

Enhancements to Inventory and Group Management

Understanding Monitoring Details

- ✓ View additional inventory attributes
- Inventory and group summary view customizations
 - Sortable columns
 - Editable table columns
- Export of inventory and group details for CMDB comparison
 - Device and attributes
 - Monitoring configuration details like MCS profiles and alarm policies


CCA technolog A Broadcorn Cor	DX Unified Infrastructure Management	Home > Group						م	:	▼ ashish.aggar	wal
ŧ	Filter							÷	· ·	** * ®	\$
A	Search Group X	Mer	nber Group								÷
	Groups (161)	A	Name	Device Type	OS Name	Origin	IP Address	Monitored By	۲	Discovered	
	 Application Discovery (0) A Poplication Monitoring (3) 	A 4	() blrqa001225	Host	WindowsServer-2016 (10	AppMonitoring, blrqa001	10.89.236.262001:0:348		۲	3 months ago	
Ê	CP_Test (5)	A 8	i birqa001444.bpc.br	Host	WindowsServer-2016 (10	blrqa001225_hub	10.89.245.22	hub, net_connect, proces		2 months ago	
55	 	4 5	(i) blrqa001228	Host	Linux	AppMonitoring, blrqa001	10.89.236.37	hub, net_connect, tomcat	۲	3 months ago	
<u>.u.l</u>	GCP Inventory (86)	4	() blrqa001819.bpc.br	Host	WindowsServer-2012-R2	blrqa001225_hub	10.89.248.74	hub, net_connect	۲	15 days ago	
i.	 A Decision (122) GCP (0) 	4	i blrqa001456.bpc.br	Host	WindowsServer-2016 (10	blrqa001225_hub	10.89.244.372001:0:285	hub, net_connect, proces	•	2 months ago	
-	GCP Billing (1)	4 2	i blrqa001312.bpc.br	Host	WindowsServer-2016 (10	AppMonitoring, blrqa001	10.89.244.1642001:0:28	hub, net_connect	۲	3 months ago	
	 GCP Cloud Routers (4) GCP Compute Engine (77) 	4 2	() blrqa001227	Host	WindowsServer-2016 (10	AppMonitoring, blrqa001	10.89.236.52	hub, net_connect	۲	3 months ago	
	GCP Device (15)										
	 GCP FileStore (1) GCP Interconnect (6) 										- 11
	 GCP Kubernetes Engine (3) 										- 11
•	🕨 🖬 🥑 GCP Storage (12)										
A			Q	:	DX Unified Infras	structure Management	Home > Groups				
	Edit Columns	×	ŝ	h 🖷	Filter		droops				
Ĩ	oni	^			Search Group	~	Member Gro	un			
0	Name Alias	e	Origin IP /	Address	TA 🗳 Groups		A Expo	rt Group Details			Orig
	🚺 🛛 🗹 Bus Type	18	birqa001225_hub 10.	17.171.72	🕨 🛕 🖪 Appli	cation Discovery (0) cation Monitoring (3)		se select which details need	d to be expo	rted from the below lis	t. birqa
	CS Id	18	birqa001225_hub 10.			base Monitoring (31)	▲ 2k+	Device Detail			birga
	CS Key				■ ▲ s		▲ 360	Group Detail			birqa
	Caption				📶 🕨 📥 🛄 Goog	le Cloud (112)	A 744	Interface Detail			birqa
				17.186.18	Hubs		▲ 509				birga
						ork Monitoring (5)	▲ 700	MCS Profiles			sprid
	Description			17.100.001	🔅 🕨 🖬 🛕 Serve	n wondoning (1)	A 750			CANCEL OK	birga
				89.235.84	<u></u>		A 732				birqa
	CANCEL	SAVE		17 169 1							
	©2021 CA. All rights reserved.								BR	OADC	

SOFTWARE

Improvements to Metric Viewer

Improved Performance Management

- Customize metric aggregation interval
- **Copy** reference metric views \checkmark across devices and groups
- Compare metrics across more devices thru single metric view



BROADCOM

SOFTWARF

ca

ft.

Ê

ad.

H

Ó

 \rightarrow

Operator Console Personalization

Role-Based Information Access

Customize default Scon Global ()

View

Dashboard

ca

f

Ê

<u>...l</u> Ľ.

\$ A 2

- Role-based access on Operator Console \checkmark driven
- ✓ Custo Consc

ule-baseu au	LE22 011	Opera		12016			†	Accounts ACLs & LDAP			
riven by ACLs		•						Access Control Lists	•	Edit ACL	
Nell by ACLS	1						A	Administrator	b	Properties Alarm F	ilter OC N
ustomizo dof	oult hom			orotor				Application Admin	h	Categories	
ustomize def	auit nom	le page	e on Op	erator			_	Compute Admin	i	Home (Summary View)
onsole							Ê	Dashboard Designer(Database)) 🖷 🗇	Groups	
							8	Guest	h	Alarms	
								Operator	h	Inventory	
							<u></u>			Dashboards	
DX Unified Infrastructure Management UIM	Home > Settings > Personalize				۵ 🗕	ashis	8			SLM	
Manage display preferences Customize default views to user after login.							•				
Scope	Preview						-				
💽 Global 🔘 Account 🔵 Personal	DX Unified Infrastructure Management	Home > Dashboards				a -	ashish.aggarwa	at			
/iew	Show Published Dashboards										
Dashboard 👻	New Custom Dashboard	English Economic Instants IM Overview	Deployment Dashboard	GCP Billing RESTMON Custom RESTILI API Monitoring	GCP Cloud Rou RESTMON Custom RESTful API Monitoring						
	GCP Compute RESTMON Custom RESTIG APT Menitoring	GCP Config RESTMON Custom RESTIG AN Monitoring	GCP FileStore RESTMON Custom RESTIGLAPI Monitoring	GCP Interconne RESTMON Custom RESTINI API Meniloring	GCP Kubernere RESTMON Custom RESTful API Monitoring						
	gcp_compute_engine		gcp_filestore	gcp_interconnect	🚦 gcp_kubernetes						
	GCP Storage	GCP VPC Netw	>-	8							
Delete Clear Apply	RESTMON	RESTMON	Network 02921 CA. All rights rese	Processes	SQL Server						
		©2021 CA. All rights reserve	d.								

Ca

technologies

UIM

DX Unified Infrastructure Management

Home > Settings >

Account Admin

enus

🔽 🕂

Show Groups view




\times																$> \langle$
- A																2 A A
۲																0

Installation and Upgrades



DX UIM 20.4: Fresh Install and Upgrade



DX UIM releases:

- End of Support releases
- Releases that we recommend get upgraded
- Current
- Upcoming (GA December, 2021)



DX UIM Upgrade Support: Enabling Business Continuity

- Weekend Upgrade Support*
 - Dedicated weekends to perform product upgrades
 - Improve the speed of L1 & L2 collaboration resulting in improved response times to your cases
 - Provide support for all severity upgrade-related cases




• Hot Site

- Hot Sites provide Overall Awareness for Support Team, Engineering Team, and all levels of management
- Broadcom product upgrades/deployments, migrations
 / competitive replacements, disaster recovery events, environmental changes (with impact to Broadcom products)
 - Operating system upgrades
 - Hardware upgrades
 - Database upgrades or changes
- Notify account team 1-2 weeks prior to actual event



*Reach out to your account representative for more details

DX UIM Resources



- Gartner Market Guide for IT Infrastructure Monitoring Tools
- ✓ DX UIM Proven Implementation Professional certification
 - https://home.pearsonvue.com/broadcom-software

✓ Instructure led training program for DX UIM

- System Administration Foundations 200 | Course Code: 20NMS20361
- Advanced Presentation & Reporting 300 | Course Code: 20UIM30010
- https://www.broadcom.com/support/education/software
- DX UIM on Enterprise Software Academy for latest blogs and product capability content
 - academy.broadcom.com
 - Demos for PRD & GCP dashboard in 20.4

Coming Soon to Enterprise Software Academy

- Web based training Modules based upon System Admin ILT
- Product capability videos on 20.4 videos



\times																$> \langle$
																(N.
۲																•

What Questions Do You Have?



.select=1
.scene.objects.active = modifie
.scene.objects.

Thank You

/"-vari

ia≈"node 0

value="0.561936"

ode id

NodeBlock Array Storage Storage

<u>gs size fact</u> ection





